



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/891,511

06/27/2001

Mamoru Nakasuji

010819

8779

38834

7590

04/14/2005

WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP
1250 CONNECTICUT AVENUE, NW
SUITE 700
WASHINGTON, DC 20036

EXAMINER

BERMAN, JACK I

ART UNIT

PAPER NUMBER

2881

DATE MAILED: 04/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

E/C

Office Action Summary

Application No.

09/891,511

Applicant(s)

NAKASUJI ET AL.

Examiner

Jack I. Berman

Art Unit

2881

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 January 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 17-59 and 61-74 is/are pending in the application.
- 4a) Of the above claim(s) 17-59 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 61-74 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 October 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>1/13/2005</u> | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2881

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 74 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The function defined for the "percentage" unit in this claim makes it clear that the claim is actually attempting to claim a *precharge* unit such as that claimed in claim 69. The claim has been examined based on this understanding but correction is required.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim 64 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,665,968 to Meisburger et al. in view of U.S. Patent No. 5,973,323 to Adler et al., U.S. Patent No. 4,137,476 to Ishii et al., and U.S. Patent No. 6,765,217 to Nishimura et al. Meisburger et al.

Art Unit: 2881

discloses an inspecting apparatus for inspecting an object to be inspected by irradiating charged particles onto said object to be inspected, said apparatus comprising: a working chamber for inspecting said object to be inspected, said chamber capable of being controlled to have a vacuum atmosphere (see the section labeled VACUUM SYSTEM beginning at line 52 in column 19); a beam generating means for generating said charged particles as a beam (see lines 14-23 in column 9); an electron optical system for guiding and irradiating said beam onto said object to be inspected held in said working chamber, detecting secondary charged particles emanated from said object to be inspected and introducing said secondary charged particles to an image processing system (see lines 23-64 in column 9); said image processing system for forming an image by said secondary charged particles (see sections labeled VIDEO FRAME BUFFER and IMAGE DISPLAY in column 18); a data processing system for displaying and/or storing status information of said object to be inspected based on output from said image processing system (see the sections labeled DEFECT PROCESSOR in column 14 and POST PROCESSOR in column 18); a stage device (24) for operatively holding said object to be inspected so as to be movable with respect to said beam; a carrying mechanism for securely accommodating said object to be inspected and for transferring said object to or from said working chamber (see sections labeled SUBSTRATE HANDLER in column 19 and LOAD OPERATION starting in column 20); an alignment controller for observing the surface of said object to be inspected for the alignment of said object to be inspected with respect to said electron-optical system to control the alignment (see section labeled OPTICAL ALIGNMENT SYSTEM in column 21) wherein the alignment of said object to be inspected includes rough alignment; an E x B separator (Wien filter deflectors 112 and 113), having an electric field and a magnetic field

Art Unit: 2881

crossing at right angles and including at least a pair of electrodes for generating the electric field and a pair of electrodes for generating the magnetic field. While Meisburger et al. uses a CCD camera with different magnifications for the rough alignment of the object to be inspected before a high magnification alignment for inspection is made by the electron optical system, the substitution of an optical microscope for the CCD camera would have been an obvious substitution of known equivalents. Meisburger et al. uses a single focused electron beam and a single electron detector to inspect an object. Adler et al., on the other hand, teaches that objects can be inspected more rapidly by irradiating the object with an area-beam and using a TDI image sensor (19). It would have been obvious to a person having ordinary skill in the art to use the Adler et al. area-beam and TDI image sensor in the Meisburger et al. system in order to achieve the faster inspecting described by Adler et al. Ishii et al. discloses a thermal electron beam source including LaB₆ as a cathode, for use in electron beam devices such as scanning electron microscopes, the tip portion of which is formed into a cone shape. It would have been obvious to a person having ordinary skill in the art to use the Ishii et al. cathode as the beam source in the Meisburger et al. system because of the capability of emitting stable electron beams at high intensity for a long period of time that Ishii et al. teaches is a property of the cathode. At lines 32-33 in column 9, Meisburger et al. teaches that the primary optical system should be telecentric. Nishimura et al. discloses an inspection apparatus similar to Meisburger et al.'s wherein a primary optical system directs an electron beam through an objective lens to a sample and the resulting secondary electrons are formed into an image and detected. At lines 50-63 in column 8, Nishimura et al. teaches that the primary optical system should have a multi-stage multi-pole lens system (quadrupole or octapole lenses 44, 45, 46) for forming Koehler

Art Unit: 2881

illumination. The substitution of Nishimura et al.'s optical system for that described by Meisburger et al. would have been an obvious substitution of equivalent parts.

Claims 65 and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., and Nishimura et al. as applied to claim 64 above, and further in view of U.S. Patent No. 5,944,049 to Beyer et al. In the section labeled VACUUM SYSTEM, Meisburger et al. teaches to monitor the vacuum level in the working chamber and to provide an interlock mechanism (pressure sensors, computers 42 and 46, and pneumatic isolation valve 145) that executes an emergency control to secure the vacuum level at a safe level in the case of an irregularity. Beyer et al. teaches, at lines 6-19 in column 1, that it is known in the art to use a turbo molecular pump as a main exhaust pump (2) and a roots vacuum pump (3) as a roughing vacuum pump to exhaust a vacuum chamber of the type used for processing semiconductor devices. It would have been obvious to a person having ordinary skill in the art to use this known vacuum exhausting system to perform the required exhausting of the working chamber in the Meisburger et al./Adler et al. system discussed above. Use of this known exhausting system instead of the turbopump used by Meisburger et al. would have been an obvious substitution of known equivalents.

Claims 61 and 62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., and Nishimura et al. as applied to claim 64 above, and further in view of U.S. Patent No. 6,315,512 to Tabrizi et al. and U.S. Patent No. 5,536,128 to Shimoyashiro et al. At lines 59-65 in column 9, Tabrizi et al. teaches to provide a mini-environment chamber (604) for supplying a clean gas to an object to be introduced into a working chamber to prevent dust from contacting the object, the mini-environment chamber

Art Unit: 2881

including a gas supply unit including a cleaning filter such as a HEPA or ULPA filter for creating the clean gas, a loading chamber (load locks 406a and 406b) disposed between said mini-environment chamber and the working chamber (process chamber 410), and adapted to be independently controllable so as to have a vacuum atmosphere, a loader having a carrier unit (atmospheric robot 404) capable of transferring the object between the mini-environment chamber and a loading chamber, and another carrier unit (vacuum transport robot 422) capable of transferring said object between said loading chamber and said working chamber. Tabrizi et al. does not describe the mini-environment chamber in detail, but does say at lines 39-44 in column 1 that such mini-environments may incorporate laminar gas flow. Shimoyashiro et al. discloses, at line 61 in column 9 through line 9 in column 10, that such mini-environments (clean box 50) may have downward laminar flows. It would have been obvious to a person having ordinary skill in the art to use the Tabrizi et al. loading system with the Shimoyashiro et al. mini-environment chamber to load the object to be inspected into the Meisburger et al./Adler et al. inspection system discussed above in order to avoid the contamination problem discussed by Tabrizi et al. and Shimoyashiro et al.

Claims 63, 67, and 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al. as applied to claims 61 and 62 above, and further in view of Beyer et al. as applied to claims 65 and 66 above.

Claim 68 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al., and Beyer et al. as applied to claims 63, 67, and 71 above, and further in view of U.S. Patent No. 4,911,103 to

Art Unit: 2881

Davis et al. While applicant is correct in arguing that Davis et al.'s load lock chamber (12) is not equivalent to the mini-environment chamber between the ambient environment and a loading chamber, Davis et al. does discuss the problem of contaminants that may be introduced into a vacuum chamber and teaches, at lines 10-24 in column 24, to provide a particulate sensor to monitor the cleanliness of a loading chamber. It would have been obvious to a person having ordinary skill in the art to incorporate such a sensor in the Tabrizi et al./Shimoyashiro et al. mini-environment chamber discussed above and shut down the inspection apparatus when the cleanliness of the mini-environment chamber is below a predetermined level since these references both recognize the problems caused by contamination and seek to avoid these problems.

Claim 69 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al., and Beyer et al. as applied to claims 63, 67, and 71 above, and further in view of U.S. Patent No. 6,344,750 to Lo et al. Lo et al. discloses scanning electron beam inspection apparatus similar to Meisburger et al.'s. At lines 37-55 in column 6, Lo et al. discloses a precharge unit comprising a charged particle irradiating section (36) for irradiating low voltage electrons in advance against said inspecting region just before the inspection and, beginning at line 48 in column 9, explains in detail how precharging removes variations of charge accumulated on an object under test. It would have been obvious to a person having ordinary skill in the art to apply this teaching of Lo et al.'s to the Meisburger et al./Adler et al./Ishii et al./Nishimura et al./Tabrizi et al./Shimoyashiro et al./Beyer et al. apparatus discussed above by providing Lo et al.'s charged particle irradiating section in order to prevent the problems discussed by Lo et al.

Claim 70 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al., and Beyer et al. as applied to claims 63, 67, and 71 above, and further in view of U.S. Patent No. 4,607,167 to Petric and U.S. Patent No. Bisschops et al. Petric discloses a stage (30) for holding an object to be irradiated with a focused electron beam with a degree of freedom at least equal to or more than two with respect to the electron-optical system, said stage (30) comprising a non-contact supporting mechanism by means of static pressure bearings (see lines 10-15 in column 8), and a vacuum sealing mechanism (20) through differential pumping. It would have been obvious to a person having ordinary skill in the art to use the Petric apparatus as the stage positioning equipment and evacuation devices required for the Meisburger et al./Adler et al./Tabrizi et al./Shimoyashiro et al./Beyer et al. apparatus discussed above since the Petric apparatus is designed to permit the irradiation of objects with a focused electron beam of the type used by Meisburger et al. As can be best seen in Figure 4, Bisschops et al. teaches that when a static pressure bearing (21) is used to support a stage (14) that supports a wafer (W) inside the vacuum chamber (V) of a lithography system (2), it is advantageous to provide a partition (sliding seal plate 12) near the pressure bearing to minimize loss of vacuum. Since the Petric apparatus uses a pressure bearing as well as a partition near the electron beam generator, it would have been obvious to a person having ordinary skill in the art to apply the teachings of Bisschops et al. by providing an additional partition near the pressure bearing if the Petric apparatus is used as the stage in the Meisburger et al./Adler et al./Tabrizi et al./Shimoyashiro et al./Beyer et al. apparatus discussed above in order to maintain the lowest pressure possible at the surface of the wafer under test.

Claim 72 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al. as applied to claims 61 and 62 above, and further in view of U.S. Patent No. 5,892,224 to Nakasuji. Nakasuji teaches that objects can be inspected by multi-beam systems more rapidly than a single beam system such as that disclosed by Meisburger et al. It would therefore have been obvious to a person having ordinary skill in the art to use a multi-beam in the Meisburger et al./Adler et al./Ishii et al./Nishimura et al./Tabrizi et al./Shimoyashiro et al. system discussed above in order to inspect samples more rapidly.

Claims 73 and 74 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meisburger et al., Adler et al., Ishii et al., Nishimura et al., Tabrizi et al., and Shimoyashiro et al. as applied to claims 61 and 62 above, and further in view of Lo et al. as applied to claim 69 above. In addition to the precharge unit discussed above, Lo et al. also teaches, at lines 4-20 in column 7, to provide an electrode (30) between the objective lens (34) and the object to be examined (wafer 22) and to apply a voltage to this electrode to lower the energy of the electrons which strike the object. Such a voltage would inherently be lower than that applied to the object.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period


Art Unit: 2881

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack I. Berman whose telephone number is (571) 272-2468. The examiner can normally be reached on M-F (8:30-6:00) with every second Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jack I. Berman
Primary Examiner
Art Unit 2881

jb
4/12/05